Note: All conferences, notices and other announcements are under one heading: NOTICES.

Index to Volume 43, 1986

A

Abortions, spontaneous, among women in pharmaceutical industry, 199: correction, 432
ABRAHAM J L *see* REDLINE S *et al*
Accidents, industrial, from Flixborough to Bhopal, is legislation enough? editorial, 1
ACHESON E D *see* COGGON D *et al*
Acrylamide cohort mortality study, 785
AGOSTINI R *see* MERLER E *et al*
AGRUP G, BELIN L, SJÖSTEDT L, and SKERFVING S: Allergy to laboratory animals in laboratory technicians and animal keepers, 192.
AHLBOM A *see* NORELL S *et al*
TÖRNQVIST S *et al*
Airway constrictor response, to cotton bract extracts, in absence of endotoxin, 220
AITIO A *see* KALLIOMÄKI P-L *et al*
AL-DABBAGH S, FORMAN D, BRYSON D, STRATTON I and DOLL R: Mortality of nitrate fertiliser workers, 507
Allergy, to laboratory animals, laboratory technicians and animal keepers, 192
Alveolar sampling and fast kinetics of tetrachloroethene in man, I. alveolar sampling, 814
Alveoli, penetration of particles, spirometric data, 188: correction, 279
AMANDUS H E: Mortality from stomach cancer in United States cement plant and quarry workers, 1950–80, 526
Ames test, in investigation of urine samples from rats exposed to methyl isocyanate, 566
Amines in cutting fluids, and cancer morbidity, 563
ANDERSON A *see* KJUUS H *et al*
ANDERSON D, BLOWERS S D and NEMERY B: Investigation by the Ames test of urine samples from rats exposed to methyl isocyanate, 566
Angiotensin, serum, converting enzyme, in anthracosilicosis and anthracosilicotuberculosis, 642
ANGLE C R *see* COOK L R *et al*
Animals, laboratory, allergy to, laboratory technicians and animal keepers, 192
ANNIS R *see* SOUTAR C A *et al*
Anthracosilicosis, and serum angiotensin converting enzyme, ceruloplasmin, and lactic dehydrogenase, 642
Anthracosilicotuberculosis, and serum angiotensin converting enzyme, ceruloplasmin, and lactic dehydrogenase, 642
ANTTILA S: Dissolution of stainless steel welding fumes in the rat lung: an *x* ray microanalytical study, 592
AONO H *see* ARAKI S *et al*
ARAKI S, AONO H, and MURATA K: Mobilisation of heavy metals into the urine by CaEDTA: relation to erythrocyte and plasma concentrations and exposure indicators, 636
—— YOKOYAMA K, MURATA K, and AONO H: Determination of the distribution of conduction velocities in workers exposed to lead, zinc, and copper, 321
ARFAR, a person years at risk program, 572
Arginase, erythrocyte, as indices of lead exposure, 387
ARMSTRONG B *see* MCDONALD J C *et al*
ARMSTRONG B K *see* COOKSON W O C M *et al*
ARMSTRONG T J *see* SILVERSTEIN B A *et al*
Arsenic, acute encephalopathy due to occupational exposure to: short report, 66
Arsine gas poisoning, importance of exchange transfusions in severe cases, 353
Asbestos or asbestosis as cause of increased risk of lung cancer in asbestos workers, 145
—— cement workers, lung function, dose-response study, 406
—— chrysotile, cement products, workers manufacturing, follow up study, 726
—— content of lung tissue in asbestos associated diseases, study of 110 cases, 18
—— fibres, in bronchoalveolar lavage fluid from asbestos workers, electron microscopy examination, 170
—— related lung cancer, threshold for, 556
—— workers, hazards of lung biopsy, 165
—— —— mortality, England and Wales, 1971–81, 158
Asbestosis, radiographic, prevalence in crocidolite miners and millers at Wittenoom, Western Australia, 450
—— relation between pathological grading and lung fibre concentration, 754
ASNAES S *see* OLSEN J H and ASNAES S
Asthma, herbal tea: short report, 137
—— occupational, due to unheated colophony, 559
Astroglial cell marker proteins S-100 and GFA, in study of irreversible effects of dichloromethane on brain after long term exposure, 291
Atopy, non-allergic bronchial reactivity, and past history, as determinants of work related symptoms in seasonal grain handlers, 396
ATUHAIRE L K, CAMPBELL M J, COCHRANE A L, JONES M, and MOORE F: Gastric cancer in a south Wales valley, 350
ATUHAIRE L K, CAMPBELL M J, COCHRANE A L, JONES M, and MOORE F: Specific causes of death in miners and ex-miners of the Rhondda Fach 1950–80, 497
AURELL A *see* ROSENGREN L E *et al*
AXELSON O *see* EDLING C *et al*

B

BAILEY W J *see* WONG O *et al*
Bakers, respiratory cancer, Denmark, 10 year cohort study, 516
BALDASSERONI A *see* MERLER E *et al*
BALDWIN C L *see* BOND G G *et al*
BANKS D E *see* PETSONK E L *et al*
BARNA B P *see* REDLINE S *et al*
BARREGÅRD L *see* EKBERG J *et al*
BARRY S F: ARFAR: a person years at risk program, 572
BARTLETT C L R *see* MORTON S *et al*
BARTOLUCCI G B *see* BRUGNONE F *et al*
Basal cell carcinomas, papular, multiple pigmented, tar-induced: short report, 134
Bati- -pa therapy and lead poisoning, 713
BAVE- -OCK K F and PAPWORTH D G: Risk factors for radiogenic cancer: a comparison of factors derived from the Hanford survey with those recommended by the ICRP: correspondence, 646
BAXTER P J: From Flixborough to Bhopal: is legislation enough? editorial, 1
—— Volcanoes and occupational health: editorial, 289
—— and MCDOWALL M E: Occupation and cancer in London: an investigation into nasal and bladder cancer using the Cancer Atlas, 44
—— *see also* SAMUEL A M and BAXTER P J
BECKETT W S, MOORE J L, KEOGH J P and BLEECKER M L: Acute encephalopathy due to occupational exposure to arsenic: short report, 66
BEGLIOMINI E *see* VIEGI G *et al*
BEHRENS R H and DUKES D C D: Fatal methyl bromide poisoning, 561
BÉLANGER J *see* CORMIER Y *et al*
Belgium, sickness absence, 529
BELIN L *see* AGRUP G *et al*
Benzene, breathzone concentrations, and urinary phenol levels, quantitative relation, factory survey, 692
—— chemical workers exposed to, mortality, update, 685
BERNARD A M *see* LAUWERYS R R and BERNARD A M
BERRINO F *see* MERLER E *et al*
BEVAN C *see* ELWOOD P C *et al*
OLDHAM P D *et al*
BEZUIDENHOUT B N *see* WYNDHAM C H *et al*
Bhopal, industrial accidents, is legislation enough: editorial, 1
—— victims, bright red blood, cyanide or MIC?: correspondence, 502

Note: All conferences, notices and other announcements are under one heading: NOTICES.

Index to Volume 43, 1986

A

Abortions, spontaneous, among women in pharmaceutical industry, 199: correction, 432
ABRAHAM J L *see* REDLINE S *et al*
Accidents, industrial, from Flixborough to Bhopal, is legislation enough? editorial, 1
ACHESON E D *see* COGGON D *et al*
Acrylamide cohort mortality study, 785
AGOSTINI R *see* MERLER E *et al*
AGRUP G, BELIN L, SJÖSTEDT L, and SKERFVING S: Allergy to laboratory animals in laboratory technicians and animal keepers, 192.
AHLBOM A *see* NORELL S *et al*
TÖRNQVIST S *et al*
Airway constrictor response, to cotton bract extracts, in absence of endotoxin, 220
AITIO A *see* KALLIOMÄKI P-L *et al*
AL-DABBAGH S, FORMAN D, BRYSON D, STRATTON I and DOLL R: Mortality of nitrate fertiliser workers, 507
Allergy, to laboratory animals, laboratory technicians and animal keepers, 192
Alveolar sampling and fast kinetics of tetrachloroethene in man, I. alveolar sampling, 814
Alveoli, penetration of particles, spirometric data, 188: correction, 279
AMANDUS H E: Mortality from stomach cancer in United States cement plant and quarry workers, 1950–80, 526
Ames test, in investigation of urine samples from rats exposed to methyl isocyanate, 566
Amines in cutting fluids, and cancer morbidity, 563
ANDERSON A *see* KJUUS H *et al*
ANDERSON D, BLOWERS S D and NEMERY B: Investigation by the Ames test of urine samples from rats exposed to methyl isocyanate, 566
Angiotensin, serum, converting enzyme, in anthracosilicosis and anthracosilicotuberculosis, 642
ANGLE C R *see* COOK L R *et al*
Animals, laboratory, allergy to, laboratory technicians and animal keepers, 192
ANNIS R *see* SOUTAR C A *et al*
Anthracosilicosis, and serum angiotensin converting enzyme, ceruloplasmin, and lactic dehydrogenase, 642
Anthracosilicotuberculosis, and serum angiotensin converting enzyme, ceruloplasmin, and lactic dehydrogenase, 642
ANTTILA S: Dissolution of stainless steel welding fumes in the rat lung: an *x* ray microanalytical study, 592
AONO H *see* ARAKI S *et al*
ARAKI S, AONO H, and MURATA K: Mobilisation of heavy metals into the urine by CaEDTA: relation to erythrocyte and plasma concentrations and exposure indicators, 636
—— YOKOYAMA K, MURATA K, and AONO H: Determination of the distribution of conduction velocities in workers exposed to lead, zinc, and copper, 321
ARFAR, a person years at risk program, 572
Arginase, erythrocyte, as indices of lead exposure, 387
ARMSTRONG B *see* MCDONALD J C *et al*
ARMSTRONG B K *see* COOKSON W O C M *et al*
ARMSTRONG T J *see* SILVERSTEIN B A *et al*
Arsenic, acute encephalopathy due to occupational exposure to: short report, 66
Arsine gas poisoning, importance of exchange transfusions in severe cases, 353
Asbestos or asbestosis as cause of increased risk of lung cancer in asbestos workers, 145
—— cement workers, lung function, dose-response study, 406
—— chrysotile, cement products, workers manufacturing, follow up study, 726
—— content of lung tissue in asbestos associated diseases, study of 110 cases, 18
—— fibres, in bronchoalveolar lavage fluid from asbestos workers, electron microscopy examination, 170
—— related lung cancer, threshold for, 556
—— workers, hazards of lung biopsy, 165
—— —— mortality, England and Wales, 1971–81, 158
Asbestosis, radiographic, prevalence in crocidolite miners and millers at Wittenoom, Western Australia, 450
—— relation between pathological grading and lung fibre concentration, 754
ASNAES S *see* OLSEN J H and ASNAES S
Asthma, herbal tea: short report, 137
—— occupational, due to unheated colophony, 559
Astroglial cell marker proteins S-100 and GFA, in study of irreversible effects of dichloromethane on brain after long term exposure, 291
Atopy, non-allergic bronchial reactivity, and past history, as determinants of work related symptoms in seasonal grain handlers, 396
ATUHAIRE L K, CAMPBELL M J, COCHRANE A L, JONES M, and MOORE F: Gastric cancer in a south Wales valley, 350
ATUHAIRE L K, CAMPBELL M J, COCHRANE A L, JONES M, and MOORE F: Specific causes of death in miners and ex-miners of the Rhondda Fach 1950–80, 497
AURELL A *see* ROSENGREN L E *et al*
AXELSON O *see* EDLING C *et al*

B

BAILEY W J *see* WONG O *et al*
Bakers, respiratory cancer, Denmark, 10 year cohort study, 516
BALDASSERONI A *see* MERLER E *et al*
BALDWIN C L *see* BOND G G *et al*
BANKS D E *see* PETSONK E L *et al*
BARNA B P *see* REDLINE S *et al*
BARREGÅRD L *see* EKBERG J *et al*
BARRY S F: ARFAR: a person years at risk program, 572
BARTLETT C L R *see* MORTON S *et al*
BARTOLUCCI G B *see* BRUGNONE F *et al*
Basal cell carcinomas, papular, multiple pigmented, tar-induced: short report, 134
Bati- -pa therapy and lead poisoning, 713
BAVE- -OCK K F and PAPWORTH D G: Risk factors for radiogenic cancer: a comparison of factors derived from the Hanford survey with those recommended by the ICRP: correspondence, 646
BAXTER P J: From Flixborough to Bhopal: is legislation enough? editorial, 1
—— Volcanoes and occupational health: editorial, 289
—— and MCDOWALL M E: Occupation and cancer in London: an investigation into nasal and bladder cancer using the Cancer Atlas, 44
—— *see also* SAMUEL A M and BAXTER P J
BECKETT W S, MOORE J L, KEOGH J P and BLEECKER M L: Acute encephalopathy due to occupational exposure to arsenic: short report, 66
BEGLIOMINI E *see* VIEGI G *et al*
BEHRENS R H and DUKES D C D: Fatal methyl bromide poisoning, 561
BÉLANGER J *see* CORMIER Y *et al*
Belgium, sickness absence, 529
BELIN L *see* AGRUP G *et al*
Benzene, breathzone concentrations, and urinary phenol levels, quantitative relation, factory survey, 692
—— chemical workers exposed to, mortality, update, 685
BERNARD A M *see* LAUWERYS R R and BERNARD A M
BERRINO F *see* MERLER E *et al*
BEVAN C *see* ELWOOD P C *et al*
OLDHAM P D *et al*
BEZUIDENHOUT B N *see* WYNDHAM C H *et al*
Bhopal, industrial accidents, is legislation enough: editorial, 1
—— victims, bright red blood, cyanide or MIC?: correspondence, 502

BIBBY L F *see* MORTON S *et al*
BIDSTRUP P L *see* LEVY L S *et al*
BIENIEK G and WILCZOK T: Separation and determination of phenol, α-naphthol m- and p-, o-cresols and 2,5-xylenol, and catechol in the urine after mixed exposure to phenol, naphthalene, cresols, and xylenols, 570
Biliary tract cancer, chemical industry, proportional mortality study, 716
—— —— —— and occupation, Sweden, 257
Bladder cancer and leather exposure, 96
—— —— and occupation, London, 44
BLANC P D, TRAINOR W D, and LIM D T: Herbal tea asthma: short report, 137
BLEECKER M L *see* BECKETT W S *et al*
BLOT W J see MALKER H S R *et al*
BLOWERS S D see ANDERSON D *et al*
BOEY K W see JEYARATNAM J *et al*
BOILLAT M-A see HACK M *et al*
BOND G G, MCLAREN E A, BALDWIN C L, and COOK R R: An update of mortality among chemical workers exposed to benzene, 685
—— *see* SOBEL W *et al*
BOOK REVIEWS:
BRITISH RUBBER MANUFACTURERS ASSOCIATION: Toxicity and safe handling of rubber chemicals 1985, 648
BROWN S and SUNDERMAN F W *editors*: Progress in nickel toxicology 1985, 216
CHAFFIN D B and ANDERSSON G: Occupational biomechanics 1984, 70
HUGHES D *editor*: The Radman guide to the ionizing radiation regulations 1985 1986, 789
LADOU J *editor*: State of the art reviews: occupational medicine, Vol. 1.1: The microelectronics industry 1986, 789
LIKHACHEV A, ANISIMOV V, and MONTESANO R *editors*: Age-related factors in carcinogenesis. IARC scientific publications No 58, 1985, 504
OSBORNE D J, *editor*: Contemporary ergonomics 1985, 71
STERN R M: Occupational exposure in the welding industry health risk assessment 84.03; Exposure monitoring and chemical analysis of welding fume 85.23; Welding fumes, iron oxides and other metallic industrial aerosols 85.35; Health, occupational exposure, and thoracic magnetic moment of shipyard welders 85.36; Nickel and chromium compounds and welding fumes in mammalian cell transformation bioassay in vitro 85.37; Assessment, management, and reduction of risk for welders 85.40, 288
WALDRON: Lecture notes on occupational medicine, 3rd ed. 1985, 215
WEINDLING P *editor*: The social history of occupational medicine 1985, 846
WILLIAMS O A, O'CONNOR G T, DE-THE G B and JOHNSON C A, *editors*: Virus-associated cancers in Africa 1984, 71
WORLD HEALTH ORGANISATION: GEMS (Global Environmental Monitoring System): guidelines for the study of dietary intakes of chemical contaminants 1985, 356
WORLD HEALTH ORGANISATION: IPCS international programme on chemical safety environmental health criteria 46. Guidelines for the study of genetic effects in human populations UNEP, ILO, and WHO 1985, 647
BOSCOLO P and CARMIGNANI M: Mechanisms of cardiovascular regulation in male rabbits chronically exposed to cadmium, 605
BRADDICK M R: Are hazard warnings sufficient? correspondence, 431
BRAGG K C see PETSONK E L *et al*
Brain, and solvents: editorial, 73
BRANDT-RAUF P W and HATHAWAY J A: Biliary tract cancer in the chemical industry: a proportional mortality study: short report, 716
BRENNER F E see SOBEL W *et al*
BREWSTER L see ELWOOD J H *et al*
Bright red blood of Bhopal victims, cyanide or MIC?: correspondence, 502
BRODY A R see ROGGLI V L *et al*
Bronchial reactivity, non-allergic, and past history, as determinants of work related symptoms in seasonal grain handlers, 396
Bronchitis, chronic, coal mining industry, total population factors, New South Wales, Australia, 263
Bronchoalveolar lavage, in farmers' lung disease, diagnostic and physiological significance, 401
—— —— —— from asbestos workers, asbestos fibres in, electron microscopy examination, 170
BROWNE K: Is asbestos or asbestosis the cause of increased risk of lung cancer in asbestos workers? editorial, 145
—— A threshold for asbestos related lung cancer, 556
BRUGNONE F, DE ROSA E, PERBELLINI L and BARTOLUCCI G B: Toluene concentrations in the blood and alveolar air of workers during the workshift and the morning after, 56
—— see also PERBELLINI L *et al*
BRYSON D see AL-DABBAGH S *et al*
BUCK M G, WALL J H and SCHACHTER E N: Airway constrictor response to cotton bract extracts in the absence of endotoxin, 220
BURGE P S, WIELAND A, ROBERTSON A S and WEIR D: Occupational asthma due to unheated colophony, 559
BUTERS G see JAMES A L *et al*

C

Cadmium containing solders, lung function in workers, 657
—— exposure, mechanisms of cardiovascular regulation, male rabbits, 605
—— —— occupational, in jig solderers, 663
—— and the kidney: editorial, 433
—— workers, cancer mortality: correspondence, 430
CaEDTA, calcium disodium ethylenediamine tetra-acetate, and mobilisation of heavy metals into the urine, relation to erythrocyte and plasma concentrations and exposure indicators, 636
CAI S-X see INOUE O *et al*
CALABRESE E J: Sex differences in susceptibility to toxic industrial chemicals: editorial, 577
Calcium carbide, workers producing, cancer incidence, 237
CAMNER P see SVARTENGREN M *et al*
CAMPBELL D D, LOCKEY J E, PETAJAN J, GUNTER B J and ROM W N: Health effects among refrigeration repair workers exposed to fluorocarbons, 107
CAMPBELL M J *see* AUTHAIRE L K *et al*
ELWOOD J H *et al*
Cancer, cement workers, epidemiology at work: editorial, 505
—— in electric power industry, 212
—— incidence, among workers producing calcium carbide, 237
—— —— ferroalloy industry, Norway, 227
—— morbidity, in workers exposed to cutting fluids containing nitrites and amines, 563
—— mortality, cadmium workers; correspondence, 430
—— —— leather tanners, 494
—— —— rubber industry, Britain 1946–80, 363
—— and occupation, young and middle aged men, survey. I Cancers of respiratory tract, 332; II Non-respiratory cancers, 381
—— occurrence in women in the meat industry, 597
—— respiratory, and chemical exposures, wood industry: nested case-control study, 84
—— *see also* specific names, areas and organs
CANDURA F *see* FRANCO G *et al*
Carcinogens, occupational, identification, inter-rater agreement in assessment, 667
Carcinogenicity of chromium and its salts; editorial, 649
CARMIGNANI M *see* BOSCOLO P and CARMIGNANI M
Carpet weaving, school age children employed, health status, Ganderbal Block, 698
CASTELLAN R M see PETSONK E L *et al*
Cement plant and quarry workers, stomach cancer, mortality, United States, 1950–80, 526
—— workers, cancer, epidemiology at work: editorial, 505
Central nervous system functions, chronic and acute effects of solvents, in floorlayers, 101
Ceruloplasmin, in anthracosilicosis and anthracosilicotuberculosis, 842
CHAPMAN J S *see* DOUGLAS A N *et al*
Chemical(s), industrial, toxic, sex differences in susceptibility to: editorial, 577
—— industry, biliary tract cancer, proportional mortality study, 716

CHIA C B *see* JEYARATNAM J *et al*
CHIVERS A *see* ELWOOD J H *et al*
Chlorophenol exposure, and non-Hodgkin's lymphoma: case-control study, 75
Chromium containing materials, potential carcinogenicity, rat lung, 243
—— and its salts, carcinogenicity: editorial, 649
Chrysotile asbestos cement products, workers manufacturing, follow up study, 726
CLAXTON K *see* WONG O *et al*
Coalmine dust exposure as cause of a severe impairment of lung function, 150
—— —— exposure to, and pneumoconiosis, ex coalminers, 29: correspondence reply, 503
Coalminers, dust exposure, dust recovered from lung and associated pathology, Britain, 795
—— respiratory ill health, South Wales, 177
—— specific causes of death, Rhondda Fach 1950–80, 497
Coalworkers' pneumoconiosis, study of lung function, 644
COCHRANE A L *see* ATUHAIRE L K *et al*
COCKE J B *see* PETSONK E L *et al*
COCKER J, GRIFFWOOD W, and WILSON H K: Assessment of occupational exposure to 4,4'-diaminodiphenylmethane (methylene dianiline) by gas chromatography-mass spectrometry analysis of urine, 620
COGGON D, PANNETT B, ORMOND C and ACHESON E D: A survey of cancer and occupation in young and middle aged men. I Cancers of the respiratory tract, 332. II Non-respiratory cancers, 381
COLES R *see* WAGNER J C *et al*
Colophony, unheated, and occupational asthma, 559
COOK L R, ANGLE C R and STOHS S J: Erythrocyte arginase, pyrimidine 5'-nucleotidase (P5N), and deoxypyrimidine 5'-nucleotidase (dP5N) as indices of lead exposure, 387
COOK R R *see* BOND G G *et al*
COOKSON W O C M, DE KLERK N H, MUSK A W, ARMSTRONG B K, GLANCY J J, and HOBBS M S T: Prevalence of radiographic asbestosis in crocidolite miners and millers at Wittenoom, Western Australia, 450
—— RYAN G, MACDONALD S, and MUSK A W: Atopy, non-allergic bronchial reactivity, and past history as determinants of work related symptoms in seasonal grain handlers, 396
—— *see also* JAMES A L *et al*
Cooling, digital systolic pressure during, vibration white finger, 280
Copper, exposure to, determination of distribution of conduction velocities, 321
CORMIER Y, BÉLANGER J, LEBLANC P, and LAVIOLETTE M: Bronchoalveolar lavage in farmers' lung disease: diagnostic and physiological significance, 401
Corrections, 136, 279, 432
COTES J E: Respiratory disability in ex-flax workers: correspondence, 845
Cotton bract extracts, airway constrictor response, in absence of endotoxin, 220
—— dust, endotoxin of *Enterobacter agglomerans* isolated from, bronchial challenge of normal subjects, 327
—— washed and unwashed, from different growing areas, human ventilatory response, 182
—— workers, former, and respiratory disability, 580
CRAIG R *see* WOOLLEN B H *et al*
CREMER G K SLUIS- *see* SLUIS-CREMER G K
Cresols, phenol, naphthalene, and xylenols, mixed exposure, separation and determination of phenol, α-naphthol m- and p-, o-cresols and 2,5-xylenol, and catechol in urine, 570
Crocidolite miners and millers, radiographic asbestosis, prevalence, Wittenoom, Western Australia, 450
Cutting fluids, containing nitrites and amines, and cancer morbidity, 563
Cyanosis poisoning, chemicals, notification, United Kingdom, 1961–80, 272

D

DABBAGH S AL- *see* AL-DABBAGH S
DE GRAAF A *see* PRINS R and DE GRAAF A
DE KLERK N H *see* COOKSON W O C M *et al*
DE ROSA E *see* BRUGNONE F *et al*
Denmark, bakers, respiratory cancer, 10 year cohort study, 516
DENNIS P J *see* MORTON S *et al*
Deoxypyrimidine 5'-nucleotidase (dP5N), erythrocyte, as indices of lead exposure, 387
4,4'-Diaminodiphenylmethane (methylene dianiline), occupational exposure, assessment by gas chromatography-mass spectrometry analysis of urine, 620
DIAMOND E *see* JOHNSON E S *et al*
Dichloromethane, irreversible effects on brain after long term exposure, DNA and astroglial cell marker proteins S-100 and GFA in study, 291
DIEPPE P A *see* HEYWOOD A *et al*
Digital systolic pressure, during cooling, vibration white finger, 280
Dipterex, toxicity, field study, 414
DNA and astroglial cell marker proteins S-100 and GFA, in study of irreversible effects of dichloromethane on brain after long term exposure, 291
Dockyard workers, naval, disease in, and fibre content of lungs, correlation between, 391
DOLL R *see* AL-DABBAGH S *et al*
Dose response relations, exposure duration as surrogate for dose in examination, 427
DOUGLAS A N, ROBERTSON A, CHAPMAN J A, and RUCKLEY V A: Dust exposure, dust recovered from the lung, and associated pathology in a group of British coalminers, 795
DUKES D C D *see* BEHRENS R H and DUKES D C D
DUNCAN K P: A professional duty to inform: editorial, 793
Duodenal ulcer, occupational mortality, 50
Dust exposure, dust recovered from lung and associated pathology, British coalminers, 795
—— —— and lung function, relation between, miners and ex-miners, 307
DYER J V *see* MORTON S *et al*
Dysbarism, and chronic osteoarthropathy, localisation, 568

E

EDLING C, ELINDER C G, and RANDMA E: Lung function in workers using cadmium containing solders, 657
—— KLING H, FLODIN U, and AXELSON O: Cancer mortality among leather tanners, 494
EKBERG K, BARREGÅRD L, HAGBERG S, and SÄLLSTEN G: Chronic and acute effects of solvents on central nervous system functions in floorlayers, 101
EKENVALL L and LINDBLAD L E: Vibration white finger and digital systolic pressure during cooling, 280
—— —— Is vibration white finger a primary sympathetic nerve injury?, 702
—— NILSSON B Y, and GUSTAVSSON P: Temperature and vibration thresholds in vibration syndrome, 825
Electric currents, 50 Hz, effects on mood and verbal reasoning skills, 339
—— power industry, cancer, 212
Electroencephalography, in nickel carbonyl workers, 425
ELINDER C G *see* EDLING C *et al*
ELLIEHAUSEN H-J *see* KNECHT U *et al*
ELWOOD J H, ELWOOD P C, CAMPBELL M J, STANFORD C F, CHIVERS A, HEY I, BREWSTER L, and SWEETNAM P M: Respiratory disability in ex-flax workers, 300; Correspondence reply, 845
ELWOOD P C, SWEETNAM P M, BEVAN C, and SAUNDERS M J: Respiratory disability in ex-cotton workers, 580
—— *see also* ELWOOD J H *et al*
OLDHAM P D *et al*
Encephalopathy, acute, due to occupational exposure to arsenic: short report, 66
Endotoxin, absence, airway constrictor response to cotton bract extracts, 220
Enterobacter agglomerans, endotoxin, isolated from cotton dust, bronchial challenge of normal subjects, 327
Epidemiology, in study of cement workers and cancer: editorial, 505
ERICSSON J L E *see* MALKER H S R *et al*
ERWALD R *see* NORELL S *et al*

Ethoxyacetic acid, urinary excretion after experimental human exposure to ethylene glycol monoethyl ether, 615
—— —— in urine, gas chromatographic determination, 62
Ethylene glycol monoethyl ether, respiratory uptake and elimination, after experimental human exposure, 544
—— —— —— —— urinary excretion of ethoxyacetic acid after experimental human exposure, 615
Exchange transfusions, importance in severe cases of arsine gas poisoning, 353
Exposure duration as surrogate for dose in examination of dose response relations, 427

F

Factory workers, middle aged male, health, fitness, physical activity, and morbidity I, 733
FARAVELLI P *see* MERLER E *et al*
FÄRKKILÄ M: Vibration induced injury: editorial, 361
Farmers' lung disease, bronchoalveolar lavage, diagnostic and physiological significance, 401
Fencing work, and non-Hodgkin's lymphoma: case-control study, 75
Ferroalloy industry, cancer incidence, Norway, 227
Fertiliser workers, nitrate, mortality, 507
Fibre content of lungs and disease in naval dockyard workers, correlation between, 391
FINE L J *see* SILVERSTEIN B A *et al*
FINKELSTEIN M: Pulmonary function is asbestos cement workers: a dose-response study, 406
FISCHMAN H R *see* JOHNSON E S *et al*
Flax, ex workers, respiratory disability, 300: correspondence, 845
—— retted, pre-harvest, ventilatory impairment, 809
FLETCHER J G *see* SMITH N J *et al*
Flixborough to Bhopal, industrial accidents, is legislation enough: editorial, 1
FLODIN U *see* EDLING C *et al*
Floorlayers, chronic and acute effects of solvents on central nervous system functions, 101
Fluorocarbons, exposure, refrigeration repair workers, health effects, 107
FONTE R *see* FRANCO G *et al*
Formaldehyde, and squamous cell carcinoma of sinonasal cavities, risk, 769
FORMAN D *see* AL-DABBAGH S *et al*
FORSUM U *see* ÖZESMI M *et al*
Foundry, gaseous and adsorbed polycyclic aromatic hydrocarbons, 834
FRANCO G, FONTE R, and CANDURA F: Hepato-toxicity of organic solvents: correspondence, 139

G

GARDNER M J, WINTER P D, PANNETT B, and POWELL C A: Follow up study of workers manufacturing chrysotile asbestos cement products, 726
Gastric cancer, south Wales valley, 350
—— ulcer, occupational mortality, 50
GAULD S J *see* LLOYD M H *et al*
GELLERT A R, KITAJEWSKA J Y, UTHAYAKUMAR S, KIRKHAM J B, and RUDD R M: Asbestos fibres in bronchoalveolar lavage fluid from asbestos workers: examination by electron microscopy, 170
GERHARDSSON L, LUNDSTRÖM N-G, NORDBERG G, and WALL S: Mortality and lead exposure: a retrospective cohort study of Swedish smelter workers, 707
GÉRIN M *see* GOLDBERG M S *et al*
GILES H J *see* PEARCE N E *et al*
GIUNTINI C *see* VIEGI G *et al*
GLANCY J J *see* COOKSON W O C M *et al*
GLICK M *see* LEIGH J *et al*
Gold miners, South African, white, middle aged, mortality, 677
GOLDBERG M S, SIEMIATYCKI J, and GÉRIN M: Inter-rater agreement in assessing occupational exposure in a case-control study, 667
GOLDBLATT P *see* HARRINGTON J M and GOLDBLATT P
GOTO S *see* KUSAKA Y *et al*
GRAAF A DE *see* DE GRAAF A
GRACOVETSKY S: Determination of safe load, 120
Grain handlers, seasonal, atopy, non-allergic bronchial reactivity, and past history, as determinants of work related symptoms, 396
Grain handlers, seasonal, young, symptoms and longitudinal changes in lung function, 587
Granuiomatous disease, and pulmonary deposition of titanium, 652
GREENACRE M J *see* WYNDHAM C H *et al*
GRIFFITHS D M *see* WAGNER J C *et al*
GRISTWOOD W *see* COCKER J *et al*
GROESENEKEN D, VAN VLEM E, VEULEMANS H and MASSCHELEIN R: Gas chromatographic determination of methoxyacetic and ethoxyacetic acid in urine, 62
—— VEULEMANS H and MASSCHELEIN R: Respiratory uptake and elimination of ethylene glycol monoethyl ether after experimental human exposure, 544
—— —— —— Urinary excretion of ethoxyacetic acid after experimental human exposure to ethylene glycol monoethyl ether, 615
GU X *see* HU X *et al*
GUNTER B J *see* CAMPBELL D D *et al*
GUSTAVSSON P *see* EKENVALL L *et al*
GYLSETH B and SKAUG V: Relation between pathological grading and lung fibre concentration in a patient with asbestosis, 754

H

HAAS J *see* SONNENBERG A and HAAS J
HACK M, BOILLAT M-A, SCHWEIZER C and LOB M: Assessment of vibration induced white finger: reliability and validity of two tests, 284
HAGBERG S *see* EKBERG K *et al*
HAGLID K G *see* ROSENGREN L E *et al*
HAKULINEN T R *see* KAUPPINEN T P *et al*
HALL M G *see* WOOLLEN B H *et al*
Hand wrist cumulative trauma disorders in industry, 779
HANKINSON J L *see* PETSONK E L *et al*
Hard metal dust, effect on ventilatory function, 486
—— —— workers, respiratory diseases, factory occupational hygiene study, 474
HARRINGTON J M and GOLDBLATT P: Census based mortality study of pharmaceutical industry workers, 206
HARTGE P *see* MARRETT L D *et al*
HASSLER E *see* SVARTENGREN M *et al*
HATHAWAY J A *see* BRANDT-RAUF P W and HATHAWAY J A
Hazard warnings for methylated spirit and methanol, not sufficient: correspondence, 431
Health of middle aged factory workers, 733
HEMMINKI K *see* TASKINEN H *et al*
Hepatoxicity of organic solvents: correspondence, 139
Herbal tea asthma: short report, 137
HERNBERG S G *see* KAUPPINEN T P *et al*
HESDORFFER C S, MILNE F J, TERBLANCHE J, and MEYERS A M: Arsine gas poisoning: the importance of exchange transfusions in severe cases, 353
n-Hexane concentrations, blood/tissue, and 2,5-hexanedione in urine, and organic solvent exposure, 760
HEY I *see* ELWOOD J H *et al*
HEYWOOD A, WALDRON H A, O'HARE P, and DIEPPE P A: Effect of immersion on urinary lead excretion: short report, 713
HILLERDAL G *see* ÖZESMI M *et al*
HOBBS M S T *see* COOKSON W O C M *et al*
HOCKEY R *see* JAMES A L *et al*
HODGES N G *see* OLDHAM P D *et al*
HODGSON J T and JONES R D: Mortality of asbestos workers in England and Wales 1971–81, 158
HOWARD J K *see* PEARCE N E *et al*
HU X, LU Y, XUE S, LING Y, and GU X: Toxicity of dipterex: a field study, 414
HUGHES E G *see* MURDOCH R D *et al*
HURLEY J F and SOUTAR C A: Can exposure to coalmine dust cause a severe impairment of lung function? 150
—— —— *see* SOUTAR C A and HURLEY J F
HUTCHINSON D N *see* MORTON S *et al*
HYVÄRINEN H-K *see* KALLIOMÄKI P-L *et al*

I

Iceland, masons, mortality, 522
Ichikawa Y *see* Kusaka Y *et al*
Ikeda M *see* Inoue O *et al*
Immersion, effect on urinary lead excretion, 713
Immunoglobulin E antibody responses to platinum group metals, large scale refinery survey, 37
Information section, Medlars, 141, 358, 574, 790
Injury, vibration-induced: correspondence, 845
Inoue O, Seiji K, Kasahara M, Nakatsuka H, Watanabe T, Yin S-G, Li G-L, Jin C, Cai S-X, Wang X-Z, and Ikeda M: Quantitative relation of urinary phenol levels to breathzone benzene concentrations: a factory survey, 692
Inter-rater agreement, in assessing occupational exposure in a case-control study, 667

J

Jacobson G *see* Norell S *et al*
James A L, Cookson W O C M, Buters G, Lewis S, Ryan G, Hockey R, and Musk A W: Symptoms and longitudinal changes in lung function in young seasonal grain handlers, 587
Jamison J P, Langlands J H M, and Lowry R C: Ventilatory impairment from pre-harvest retted flax, 809
—— and Lowry R C: Bronchial challenge of normal subjects with the endotoxin of Enterobacter agglomerans isolated from cotton dust, 327
Järvholm B, Lavenius B and Sällsten G: Cancer morbidity in workers exposed to cutting fluids containing nitrites and amines, 563
Jenkins C *see* Tuxworth W *et al*
Jeyaratnam J: Neurophysiological studies on workers exposed to lead: correspondence, 70
—— Boey K W, Ong C N, Chia C B, and Phoon W O: Neuropsychological studies on lead workers in Singapore, 626
Jin C *see* Inoue O *et al*
Jóhannesdóttir S G *see* Rafnsson V and Jóhannesdóttir S G
Johnson E S: Duration of exposure as a surrogate for dose in the examination of dose response relations, 427
Johnson E S: PMR and relative risk: correspondence, 214
—— Fischman H R, Matanoski G M, and Diamond E: Occurrence of cancer in women in the meat industry, 597
Jones M *see* Atuhaire L K *et al*
Jones R D *see* Hodgson J T and Jones R D
Sekimpi D K and Jones R D

K

Kalliomäki K *see* Kalliomäki P-L *et al*
Kalliomäki P-L, Hyvärinen H-K, Aitio A, Lakoma E-L, and Kalliomäki K: Kinetics of the metal components of intratracheally instilled stainless steel welding fume suspensions in rats, 112
Karlsson-Parra A *see* Özesmi M *et al*
Kasahara M *see* Inoue O *et al*
Kashmir, school age children employed in carpet weaving, health status, 698
Kauppinen T P, Partanen T J, Nurminen M M, Nickels J I, Hernberg S G, Hakulinen T R, Pukkala E I, and Savonen E T: Respiratory cancers and chemical exposures in the wood industry: a nested case-control study, 84
Kazantzis G and Lam T H: Cancer mortality of cadmium workers: correspondence, 430
Keogh J P *see* Beckett W S *et al*
Kheifets L *see* Wong O *et al*
Kidney, and cadmium: editorial, 433
Kirkham J B *see* Gellert A R *et al*
Kitajewska J Y *see* Gellert A R *et al*
Kjellstrand P *see* Rosengren L E *et al*
Kjuus H, Andersen A and Langård S: Incidence of cancer among workers producing calcium carbide, 237
—— —— —— and Knudsen K E: Cancer incidence among workers in the Norwegian ferroalloy industry, 227
Klerk N H De *see* De Klerk N H
Kling H *see* Edling C *et al*
Knave B *see* Törnqvist S *et al*
Knecht U, Elliehausen H-J, Woitowitz H-J: Gaseous and adsorbed PAH in an iron foundry, 834
Knudsen K E *see* Kjuus H *et al*
Kusaka Y, Ichikawa Y, Shirakawa T, and Goto S: Effect of hard metal dust on ventilatory function, 486
—— Yokoyama K, Sera Y, Yamamoto S, Sone S, Kyono H, Shirakawa T, and Goto S: Respiratory diseases in hard metal workers: an occupational hygiene study in a factory, 474
Kyono H *see* Kusaka Y *et al*

L

Laboratory animals, allergy to, laboratory technicians and animal keepers, 192
Lactic dehydrogenase, in anthracosilicosis and anthracosilicotuberculosis, 642
Lafuente A and Mallol J: Thioethers in urine during occupational exposure to tetrachloroethylene: short report, 68
Lakoma E-L *see* Kalliomäki P-L *et al*
Lam T H *see* Kazantzis G and Lam T H
Langård S *see* Kjuus H *et al*
Langlands J H M *see* Jamison J P *et al*
Laria R *see* Merler E *et al*
Lata A *see* Zhicheng S *et al*
Lauwerys R R and Bernard A M: Cadmium and the kidney, 433
Lavenius B *see* Järvholm B *et al*
Laviolette M *see* Cormier Y *et al*
Lead excretion, urinary, effect of immersion, 713
—— exposure to, determination of distribution of conduction velocities, 321
—— —— erythrocyte arginase, pyrimidine 5′-nucleotidase (P5N), and deoxypyrimidine 5′-nucleotidase (dP5N) as indices, 387
—— —— monitoring, simplified method for determining erythrocyte pyrimidine 5′-nucleotidase activity by HPLC, 839
—— —— and mortality, Swedish smelter workers, retrospective cohort study, 707
—— —— unusual source, in precious metal assay worker, 420
—— neurophysiological studies on workers exposed to: correspondence, 70
—— occupational exposure, neurobehavioural effects, 374
—— workers, neuropsychological studies, Singapore, 626
Leather dust exposure and nasal cancer, causal association between, 91
—— exposure and bladder cancer, 96
—— tanners, cancer mortality, 494
Leblanc P *see* Cormier Y *et al*
Lee J: Regression estimate of the adjusted risk ratio: correspondence, 356
Legionnaires' disease, outbreak from cooling water system in a power station, 630
Leigh J, Wiles A N and Glick M: Total population study of factors affecting chronic bronchitis prevalence in the coal mining industry of New South Wales, Australia, 263
Leptospirosis as occupational disease: editorial, 721
Lerman Y, Ribak J, and Selikoff I J: Hazards of lung biopsy in asbestos workers, 165
Levy L S, Martin P A and Bidstrup P L: Investigation of the potential carcinogenicity of range of chromium containing materials on rat lung, 243
Lewis S *see* James A L *et al*
Li G-L *see* Inoue O *et al*
Lim D T *see* Blanc P D *et al*
Lindberg-Navier I *see* Norell S *et al*
Lindblad L E *see* Ekenvall L and Lindblad L E
Lindbohm M-L *see* Taskinen H *et al*
Ling Y *see* Hu X *et al*
Lloyd M H, Gauld S J, and Soutar C A: Respiratory ill health among coal miners and telecommunication workers in South Wales, 177
Lob M *see* Hack M *et al*
Lockey J E *see* Campbell D D *et al*

LÖF A, LUNDGREN E and NORDQVIST M B: Kinetics of styrene in workers from a plastics industry after controlled exposure: a comparison with subjects not previously exposed, 537
London, nasal and bladder cancer, and occupation, 44
LOWRY R C *see* JAMISON J P *et al*
JAMISON J P and LOWRY R C
LU Y *see* HU X *et al*
LUNDGREN E *see* LÖF A *et al*
LUNDSTRÖM N-G *see* GERHARDSSON L *et al*
Lung biopsy, asbestos workers, hazards, 165
—— cancer, asbestos related, threshold for, 556
—— —— in asbestos workers, asbestos or asbestosis as cause of increased risk: editorial, 145
—— —— in foundry workers, caused by gaseous and adsorbed polycyclic aromatic hydrocarbons, 834
—— fibre concentration, pathological grading, relation between, in asbestosis, 754
—— —— content and disease in naval dockyard workers, correlation between, 391
—— function, asbestos cement workers, dose-response study, 406
—— —— and dust exposure, relation between, miners and ex-miners, 307
—— —— impairment, exposure to coalmine dust as cause, 150
—— —— in workers using cadmium containing solders, 657
—— —— young seasonal grain handlers, symptoms and longitudinal changes, 587
—— titanium deposition, associated with granulomatous disease, 652
Lymphoid cells, blood, peripheral, phenotypic characterisation after exposure to fibrous zeolite, 830

M

MCDONALD A D *see* MCDONALD J C *et al*
MCDONALD J C, MCDONALD A D, ARMSTRONG B, and SEBASTIEN P: Cohort study of mortality of vermiculite miners exposed to tremolite, 436
—— SEBASTIEN P, and ARMSTRONG B: Radiological survey of past and present vermiculite miners exposed to tremolite, 445
MACDONALD S *see* COOKSON W O C M *et al*
MCDOWALL M: Cement workers and cancer: epidemiology at work? editorial, 505
MCDOWALL M E *see* BAXTER P J and MCDOWALL M E
MCLAREN E A *see* BOND G G *et al*
MACLAREN W M *see* SOUTAR *et al*
MCLAUGHLIN J K *see* MALKER H S R
MALKER B K *see* MALKER H S R *et al*
MALKER H S R, MCLAUGHLIN J K, MALKER B K, STONE B J, WEINER J A, ERICSSON J L E and BLOT W J: Biliary tract cancer and occupation in Sweden, 257
MALLOL J *see* LAFUENTE A and MALLOL J
MARRETT L D, HARTGE P, and MEIGS J W: Bladder cancer and occupational exposure to leather, 96
MARTIN P A *see* LEVY L S *et al*
Masons, mortality, Iceland, 522
MASSCHELEIN R *see* GROESENEKEN D *et al*
MATANOSKI G M *see* JOHNSON E S *et al*
MATTOO G M, RAUF A, and ZUTSHI M L: Health status of school age children employed in carpet weaving in Ganderbal Block, 698
Meat industry, cancer occurrence in women, 597
—— works employment, and non-Hodgkin's lymphpoma: case-control study, 75
MEDLARS, information section, 141, 358, 574, 790
MEIGS J W *see* MARRETT L D *et al*
MELVILLE A W T *see* SOUTAR C A *et al*
Mercury, metallic, poisoning, experimental, prolonged, evaluation of chelating action of methicillin, 611
MERLER E, BALDASSERONI A, LARIA R, FARAVELLI P, AGOSTINI R, PISA R, and BERRINO F: On the causal association between exposure to leather dust and nasal cancer: further evidence from a case-control study, 91
Mesothelioma, after exposure to fibrous zeolite, phenotypic characterisation of peripheral blood lymphoid cells, 830
Metal components of intratracheally instilled stainless steel welding fume suspensions, rats, 112
see also Hard metal
Methanol, hazard warnings not sufficient: correspondence, 431
Methicillin, chelating action in prolonged experimental metallic mercury poisoning, evaluation, 611
Methoxyacetic acid in urine, gas chromatographic determination, 62
Methyl bromide poisoning, fatal, 561
—— isocyanate exposure, investigation by Ames test of urine samples, rats, 566
Methylated spirit, hazard warnings not sufficient: correspondence, 431
Methylene dianiline, occupational exposure, assessment by gas chromatography-mass spectrometry analysis of urine, 620
MEYERS A M *see* HESDORFFER C S *et al*
Middle aged male factory workers, health, fitness, physical activity, and morbidity I, 733
MILLARD L G: Multiple pigmented papular basal cell carcinomas: a new pattern of industrial tar induced skin tumours: short report, 134
MILNE F J *see* HESDORFFER C S *et al*
Miners and ex-miners, relation between dust exposure and lung function, 307
MONCRIEFF C B *see* WAGNER J C *et al*
Monoamine oxidase (MAO) serum activity, and EEG, nickel carbonyl workers, 425
Mood, effects of 50 Hz electric currents, 339
MOORE F *see* ATUHAIRE L K *et al*
MOORE J L *see* BECKETT W S *et al*
MORGAN R W *see* WONG O *et al*
MORGAN W K C: Quantitative relations between exposure to respirable coalmine dust and coalworkers' simple pneumoconiosis in men who have worked as miners but have left the coal industry: correspondence, 503
Mortality, asbestos workers, England and Wales 1971–81, 158
—— chemical workers exposed to benzene, update, 685
—— and lead exposure, Swedish smelter workers, retrospective cohort study, 707
—— masons, Iceland, 522
—— middle aged white South African gold miners, 677
—— occupational, from gastric and duodenal ulcer, 50
—— ratios, proportional and standard, and relative risk: correspondence, 214
—— slate workers, North Wales, 550
—— stomach cancer, cement plant and quarry workers, United States, 1950–80, 526
—— study, census based, pharmaceutical industry workers, 206
MORTON S, BARTLETT C L R, BIBBY L F, HUTCHINSON D N, DYER J V and DENNIS P J: Outbreak of legionnaires' disease from a cooling water system in a power station, 630
MOZZO P *see* PERBELLINI L *et al*
MULL J C *see* PETSONK E L *et al*
Multiple logistic regression, of adjusted risk ratio: correspondence, 356
—— pigmented papular basal cell carcinomas, tar-induced: short report, 134
MUNDAY D E *see* WAGNER J C *et al*
MURATA K *see* ARAKI S *et al*
MURDOCH R D, PEPYS J and HUGHES E G: IgE antibody responses to platinum group metals: a large scale refinery survey, 37
MUSK A W *see* COOKSON W O C M *et al*
JAMES A L *et al*
Mycoses, occupational, 500

N

NAKATSUKA H *see* INOUE O *et al*
Naphthalene, phenol, cresols, and xylenols, mixed exposure, separation and determination of phenol, α-naphthol m- and p-, o-cresols and 2,5-xylenol, and catechol in urine, 570
Nasal cancer and leather dust exposure, causal association between, 91
—— —— and occupation, London, 44
NAVIER I LINDBERG *see* LINDBERG-NAVIER I
NEMERY B *see* ANDERSON D *et al*

Netherlands, sickness absence, 529
Neurobehavioural effects, occupational exposure to lead, 374
Neurophysiological studies on workers exposed to lead: correspondence, 70
Neuropsychological studies, on lead workers, Singapore, 626
NEVILL A M *see* TUXWORTH W *et al*
Nickel carbonyl poisoning, acute, report of 179 cases, 422
—— —— workers, serum monoamine oxidase (MAO) activity, EEG, 425
NICKELS J I *see* KAUPPINEN T P *et al*
NILSSON B Y *see* EKENVALL L *et al*
Nitrate fertiliser workers, mortality, 507
Nitrates in cutting fluids, and cancer morbidity, 563
Non-Hodgkin's lymphoma, and exposure to phenoxyherbicides, chlorophenols, fencing work, and meat works employment: case-control study, 75
NORDBERG G *see* GERHARDSSON *et al*
NORDHOLM L *see* TÜCHSEN F and NORDHOLM L
NORDQVIST M B *see* LÖF A *et al*
NORELL S, AHLBOM A, OLIN R, ERWALD R, JACOBSON G, LINDBERG-NAVIER I, and WIECHEL K-L: Occupational factors and pancreatic cancer, 775
—— *see also* TÖRNQVIST S *et al*
NORSETH T: The carcinogenicity of chromium and its salts: editorial, 649
North Wales, slate workers, mortality, 550
Norway, ferroalloy industry, cancer incidence, 227
NURMINEN M M *see* KAUPPINEN T P *et al*

O

Occupational exposure, inter-rater agreement in assessing, case-control study, 667
O'HARE P *see* HEYWOOD A *et al*
OLDHAM P D, BEVAN C, ELWOOD P C, and HODGES N G: Mortality of slate workers in North Wales, 550
OLENCHOCK S A *see* PETSONK E L *et al*
OLIN R *see* NORELL S *et al*
OLSEN J H and ASNAES S: Formaldehyde and the risk of squamous cell carcinoma of the sinonasal cavities, 769
ONG C N *see* JEYARATNAM J *et al*
OPDAM J J G and SMOLDERS J F J: Alveolar sampling and fast kinetics of tetrachloroethene in man. I Alveolar sampling, 814
Organic solvent exposure, kinetics of blood/tissue n-hexane concentrations and 2,5-hexanedione, in urine, 760
OSMOND C *see* COGGON D *et al*
Osteoarthropathy, chronic, related to dysbarism, localisation, 568
ÖZESMI M, KARLSSON-PARRA A, HILLERDAL G, and FORSUM U: Phenotypic characterisation of peripheral blood lymphoid cells in people exposed to fibrous zeolite, 830

P

PAGGIARO P L *see* VIEGI G *et al*
Pancreatic cancer, occupational factors, 775
PANGCHENG L *see* ZHICHENG S and PANGCHENG L
PANNETT B *see* COGGON D *et al*
GARDNER M J *et al*
PAOLETTI P *see* VIEGI G *et al*
PAPWORTH D G *see* BAVERSTOCK K F and PAPWORTH D G
Paratoxicology, and pollution, chemical and verbal: editorial, 217
—— risk, pollution: editorial, 793
PARKES H G *see* SORAHAN T *et al*
PARRA A KARLSSON- *see* KARLSSON-PARRA A
PARSONS T W *see* SOBEL W *et al*
PARTANEN T J *see* KAUPPINEN T P *et al*
Particles, penetration to alveoli, spirometric, data, 188: correction, 279
PEARCE N E, SMITH A H, HOWARD J K, SHEPPARD R A, GILES H J, and TEAGUE C A: Non-Hodgkin's lymphoma and exposure to phenoxyherbicides, chlorophenols, fencing work, and meat works employment: a case-control study, 75
PELNAR P V: Vibration induced injury: correspondence, 845
Peptic ulcer, prevalence, joint effect of occupation and nationality, Germany, 490
PEPYS J *see* MURDOCH R D *et al*
PERBELLINI L, MOZZO P, BRUGNONE F, and ZEDDE A: Physiologicomathematical model for studying human exposure to organic solvents: kinetics of blood/tissue n-hexane concentrations and of 2,5-hexanedione in urine, 760
—— *see also* BRUGNONE F *et al*
PERKINS H H *see* PETSONK E L *et al*
PETAJAN J *see* CAMPBELL D D *et al*
Petroleum refinery employees, epidemiological study, 6
—— retailers, urinary thioether output as index of occupational chemical exposure, 718
PETSONK E L, OLENCHOCK S A, CASTELLAN R M, BANKS D E, MULL J C, HANKINSON J L, BRAGG K C, PERKINS H H, and COCKE J B: Human ventilatory response to washed and unwashed cottons from different growing areas, 182
Pharmaceutical industry, spontaneous abortions among workers, 199: correction, 432
—— —— workers, census based mortality study, 206
Phenol levels, urinary, quantitative relation to breathzone benzene concentrations, factory survey, 692
—— naphthalene, cresols, and xylenols, mixed exposure, separation and determination of phenol, α-naphthol m- and p-, o-cresols and 2,5-xylenol, and catechol in urine, 570
Phenoxyherbicide exposure, and non-Hodgkin's lymphomas: case-control study, 75
PHILIPSON K *see* SVARTENGREN M *et al*
PHOON W O *see* JEYARATNAM J *et al*
PISA R *see* MERLER E *et al*
Platinum group metals, immunoglobulin E antibody responses, large scale refinery survey, 37
Pneumoconiosis, cause of death, miners, ex-miners, Rhondda Fach 1950–80, 497
—— coal dust, and ex-miners: correspondence, 503
—— coalworkers', study of lung function, 644
—— and exposure to coalmine dust, ex-coalminers, 29: correspondence reply, 503
Pollution, chemical and verbal, paratoxicology: editorial, 217
—— paratoxicology, risk: editorial, 793
Polycyclic aromatic hydrocarbons (PAH), gaseous and adsorbed, iron foundry, 834
PRINS R and DE GRAFF A: Comparison of sickness absence in Belgian, German, and Dutch firms, 529
Post Office, sickness absence and duration of services, 1982–3, 458
POWELL C A *see* GARDNER M J *et al*
Progressive massive fibrosis, cause of death, miners, ex-miners, Rhondda Fach 1950–80, 497
PRATT P C *see* ROGGLI V L *et al*
PUKKALA E I *see* KAUPPINEN T P *et al*
Pyrimidine 5'-nucleotidase erythrocyte activity, determination, simplified, HPLC, and lead exposure monitoring, 839
—— —— —— (P5N) as indices of lead exposure, 387
Precious metal assay worker, unusual source of lead exposure, 420
PRIESTLY B G *see* STOCK J K and PRIESTLY B G

Q

Quarry workers, stomach cancer, mortality, United States, 1950–80, 526

R

Radiogenic cancer, risk factors, comparison of factors derived from the Hanford survey with those recommended by the ICRP: correspondence, 646
PAFNSSON V and JÓHANNESDÓTTIR S G: Mortality among masons in Iceland, 522
RANDMA E *see* EDLING C *et al*
RAUF A *see* MATTOO G M *et al*
RAUF P W BRANDT- *see* BRANDT-RAUF P W
REDLINE S, BARNA B P, TOMASHEFSKI J F, and ABRAHAM J L: Granulomatous disease associated with pulmonary deposition of titanium, 652

Refrigeration repair workers, exposed to fluorocarbons, health effects among, 107
Regression estimate of adjusted risk ratio: correspondence, 356
Renal tube dysfunctic after exposure to cadmium solders, 663
Respiratory cancer, bakers, Denmark, 10 year cohort study, 516
—— —— and chemical exposures, wood industry: nested case-control study, 84
—— disability, ex-cotton workers, 580
—— —— in ex-flax workers, 300: correspondence, 845
—— diseases, hard metal workers, factory occupational hygiene study, 474
—— effects of occupational exposure to tobacco dust, 802
—— ill health, among coal miners and telecommunication workers, South Wales, 177
—— tract, cancer, survey of cancer and occupation, young and middle aged men, 332
Retting flax, pre-harvest, and ventilatory impairment, 809
RIBAK J *see* LERMAN Y *et al*
Risk, paratoxicology, pollution: editorial, 793
—— and person years, program, ARFAR, 572
ROBERTSON A *see* DOUGLAS A N *et al*
ROBERTSON A S *see* BURGE P S *et al*
ROGGLI V L, PRATT P C and BRODY A R: Asbestos content of lung tissue in asbestos associated diseases: a study of 110 cases, 18
ROM W N *see* CAMPBELL D D *et al*
ROSA E DE *see* DE ROSA E
ROSENGREN L E, KJELLSTRAND P, AURELL A, and HAGLID K G: Irreversible effects of dichloromethane on the brain after long term exposure: a quantitative study of DNA and the glial cell marker proteins S-100 and GFA, 291
RÓZSAHEGYI I: Localisation of the chronic osteoarthropathy related to dysbarism, 568
Rubber industry, cancer mortality, Britain 1946–80, 363
RUCKLEY V A *see* DOUGLAS A N *et al*
RUDD R M *see* GELLERT A R *et al*
RYAN G *see* COOKSON W O C M *et al*
JAMES A L *et al*

S

Safe load, determination, 120
SAKAI T, and USHIO K: A simplified method for determining erythrocyte pyrimidine 5′-nucleotidase (P5N) activity by HPLC and its value in monitoring lead exposure, 839
SÄLLSTEN G *see* EKBERG K *et al*
JÄRVHOLM B *et al*
SALMON A G: Bright red blood of Bhopal victims: cyanide or MIC? correspondence, 502
SAMUEL A M and BAXTER P J: An unusual source of lead exposure in a precious metal assay worker, 420
SAUCHA K TWARDOWSKA- *see* TWARDOWSKA-SAUCHA K
SAUNDERS M J *see* ELWOOD P C *et al*
SAVONEN E T *see* KAUPPINEN T P *et al*
SCHACHTER E N *see* BUCK M G *et al*
School age children, employed in carpet weaving, Ganderbal Block, health status, 698
SCHWEIZER C *see* HACK M *et al*
SEARLE S J: Sickness absence and duration of service in the Post Office 1982–83, 458
SEBASTIEN P *see* MCDONALD J C *et al*
SEIJI K *see* INOUE O *et al*
SEKIMPI D K and JONES R D: Notifications of industrial chemical cyanosis poisoning in the United Kingdom 1961–80, 272
SELIKOFF I J *see* LERMAN Y *et al*
SERA Y *see* KUSAKA Y *et al*
Sex differences, in susceptibility to toxic industrial chemicals: editorial, 577
SHEPPARD R A *see* PEARCE N E *et al*
SHIRAKAWA T *see* KUSAKA Y *et al*
Sickness absence, Belgian, German, and Dutch firms compared, 529
—— —— and duration of service, Post Office 1982–83, 458
SIEMIATYCKI J *see* GOLDBERG M S *et al*
SILVERSTEIN B A, FINE L J, and ARMSTRONG T J: Hand wrist cumulative trauma disorders in industry, 779
Sinonasal cavities, squamous cell carcinoma, and formaldehyde, 769
SJÖSTEDT L *see* AGRUP G *et al*
SKAUG V *see* GYLSETH B and SKAUG V
SKERFVING S *see* AGRUP G *et al*
Slate workers, mortality, North Wales, 550
SLUIS-CREMER G K *see* WYNDHAM C H *et al*
Smelter workers, mortality and lead exposure, Sweden, retrospective cohort study, 707
SMITH A H *see* PEARCE N E *et al*
SMITH N J, TOPPING M D, STEWART J D, and FLETCHER J G: Occupational cadmium exposure in jig solderers, 663
SMOLDE[illegible] J F J *see* OPDAM J J G and SMOLDERS J F J
SOBEL W, BOND G G, PARSONS T W, and BRENNER F E: Acrylamide cohort mortality study, 785
Solders, cadmium containing, lung function in workers, 657
Solderers, jig, occupational cadmium exposure, 663
Solvents and the brain: editorial, 73
—— chronic and acute effects on central nervous system functions in floorlayers, 101
—— organic, hepatoxicity: correspondence, 139
SONE S *see* KUSAKA Y *et al*
SONNENBERG A and HAAS J: Joint effect of occupation and nationality on the prevalence of peptic ulcer in German workers, 490
—— and SONNENBERG G S: Occupational mortality from gastric and duodenal ulcer, 50
SONNENBERG G S *see* SONNENBERG A and SONNENBERG G S
SORAHAN T, PARKES H G, VEYS C A, and WATERHOUSE J A H: Cancer mortality in the British rubber industry: 1946–80, 363
SOUTAR C A and HURLEY J F. Relation between dust exposure and lung function in miners and ex-miners, 307
—— MACLAREN W M, ANNIS R and MELVILLE A W T: Quantitative relations between exposure to respirable coalmine dust and coalworkers' simple pneumoconiosis in men who have worked as miners but have left the coal industry, 29: correspondence reply, 503
—— *see also* HURLEY J F and SOUTAR C A
LLOYD M H *et al*
South African gold miners, white, middle aged, mortality, 677
South Wales valley, gastric cancer, 350
Squamous cell carcinoma of sinonasal cavities, and formaldehyde, 769
Stainless steel welding fumes, dissolution, in rat lung, x ray microanalytical study, 592
STANFORD C F *see* ELWOOD J H *et al*
STEEL G T *see* WOOLLEN B H *et al*
STEWART J D *see* SMITH N J *et al*
STOCK J K and PRIESTLY B G: Urinary thioether output as an index of occupational chemical exposure in petroleum retailers: short report, 718
STOHS S J *see* COOK L R *et al*
STOLLERY B T: Effects of 50 Hz electric currents on mood and verbal reasoning skills, 339
Stomach cancer, mortality, cement plant and quarry workers, United States, 1950–80, 526
STONE B J *see* MALKER H S R *et al*
STRATTON I *see* AL-DABBAGH S *et al*
Styrene, kinetics, in workers from plastics industry, after controlled exposure, comparison with subjects not previously exposed, 537
SVARTENGREN M, HASSLER E, PHILIPSON K, and CAMNER P: Spirometric data and penetration of particles to the alveoli, 188: correction, 279
Sweden, biliary tract cancer, and occupation, 257
Swedish smelter workers, mortality and lead exposure, retrospective cohort study, 707
SWEETNAM P M *see* ELWOOD J H *et al*
ELWOOD P C *et al*
SWENCICKI R E *see* WONG O *et al*

T

Tar-induced multiple pigmented papular basal cell carcinomas: short report, 134
TASKINEN H, LINDBOHM M-L, and HEMMINKI K: Spontaneous abor-

tions among women working in the pharmaceutical industry, 199: correction, 432
Tea, herbal, asthma: short report, 137
TEAGUE C A *see* PEARCE N E *et al*
Telecommunication workers, respiratory ill health, South Wales, 177
Temperature and vibration thresholds, in vibration syndrome, 825
TEO R K C *see* WILLIAMSON A M and TEO R K C
TERBLANCHE J *see* HESDORFFER C S *et al*
Tetrachloroethene, fast kinetics, and alveolar sampling, I alveolar sampling, 814
Tetrachloroethylene, thioethers in urine during occupational exposure to, 68
Thioethers urinary, during occupational exposure to tetrachloroethylene: short report, 68
——— output as index of occupational chemical exposure in petroleum retailers, 718
Titanium, pulmonary deposition, and granulomatous disease, 652
Tobacco dust, occupational exposure, respiratory effects, 802
Toluene concentrations, in blood and alveolar air of workers during workshift and morning after, 56
TOMASHEFSKI J F *see* REDLINE S *et al*
TOPPING M D *see* SMITH N J *et al*
TÖRNQVIST S, NORELL S, AHLBOM A, KNAVE B: Cancer in the electric power industry, 212
TRAINOR W D *see* BLANC P D *et al*
Tremolite exposure, vermiculite miners, mortality, cohort study, 436
——— past and present, radiological survey, 445
Trinitrotoluene, assessment of occupational absorption during manufacture of explosives, 465
TÜCHSEN F and NORDHOLM L: Respiratory cancer in Danish bakers: a 10 year cohort study, 516
TUXWORTH W, NEVILL A M, WHITE C, and JENKINS C: Health, fitness, physical activity, and morbidity of middle aged male factory workers I, 733
TWARDOWSKA-SAUCHA K: Evaluation of the chelating action of methicillin in prolonged experimental metallic mercury poisoning, 611

U

United States, cement plant and quarry workers, stomach cancer, mortality, 1950–80, 526
USHIO K *see* SAKAI T and USHIO K
UTHAYAKUMAR S *see* GELLERT A R *et al*

V

VAGHETTI E *see* VIEGI G *et al*
VAN VLEM E *see* GROESENEKEN D *et al*
Ventilatory function, effect of hard metal dust, 486
——impairment from pre-harvest retted flax, 809
——response, human, to washed and unwashed cottons from different growing areas, 182
Verbal reasoning skills, effects of 50 Hz electric currents, 339
Vermiculite miners, exposed to tremolite, mortality, cohort study, 436
———past and present, exposed to tremolite, radiological survey, 445
VEULEMANS H *see* GROESENEKEN D *et al*
VEYS C A *see* SORAHAN T *et al*
Vibration induced injury: editorial, 361, correspondence, 845
———white finger, assessment, reliability and validity of two tests, 284
——thresholds and temperature, in vibration syndrome, 825
——white finger, and digital systolic pressure, during cooling, 280
——— as primary sympathetic nerve injury, 702
VIEGI G, PAGGIARO P L, BEGLIOMINI E, VAGHETTI E, PAOLETTI P, and GIUNTINI C: Respiratory effects of occupational exposure to tobacco dust, 802
VLEM E VAN *see* VAN VLEM E
Volcanoes and occupational health: editorial, 289

W

WAGNER J C, MONCRIEFF C B, COLES R, GRIFFITHS D M, and MUNDAY D E: Correlation between fibre content of the lungs and disease in naval dockyard workers, 391
WAITKINS S A: Leptospirosis as an occupational disease: editorial, 721
WALDRON H A: Solvents and the brain: editorial, 73
——*see also* HEYWOOD A *et al*
WALL J H *see* BUCK M G *et al*
WALL S *see* GERHARDSSON L *et al*
WANG X-Z *see* INOUE O *et al*
WATANABE T *see* INOUE O *et al*
WATERHOUSE J A H *see* SORAHAN T *et al*
WEINER J A *see* MALKER H S R *et al*
WEIR D *see* BURGE P S *et al*
Welding fumes, stainless steel, dissolution in rat lung, x ray microanalytical study, 592
Welding fume suspensions, stainless steel, intratracheally instilled, kinetics of metal components, rats, 112
West Germany sickness absence, 529
WHITE C *see* TUXWORTH W *et al*
WIECHEL K-L *see* NORELL S *et al*
WIELAND A *see* BURGE P S *et al*
WILCZOK T *see* BIENIEK G and WILCZOK T
WILES A N *see* LEIGH J *et al*
WILLIAMSON A M and TEO R K C: Neurobehavioural effects of occupational exposure to lead, 374
WILSON H K *see* COCKER J *et al*
WINTER P D *see* GARDNER M J *et al*
WOITOWITZ H-J *see* KNECHT U *et al*
WONG O, MORGAN R W, BAILEY W J, SWENCICKI R E, CLAXTON K and KHEIFETS L: An epidemiological study of petroleum refinery employees, 6
Wood industry, chemical exposures, and respiratory cancers: nested case-control study, 84
WOOLLEN B H, HALL M G, CRAIG R, and STEEL G T: Trinitrotoluene: assessment of occupational absorption during manufacture of explosives, 465
Wrist hand cumulative trauma disorders in industry, 779
WYNDHAM C H, BEZUIDENHOUT B N, GREENACRE M J, and SLUIS-CREMER G K: Mortality of middle aged white South African gold miners, 677

X

XUE S *see* HU X *et al*
Xylenols, phenol, naphthalene, and cresols, mixed exposure, separation and determination of phenol, -naphthol m- and p-, o-cresols and 2,5-xylenol, and catechol, in urine, 570

Y

YAMAMOTO S *see* KUSAKA Y *et al*
YIN S-G *see* INOUE O *et al*
YOKOYAMA K *see* ARAKI S *et al*
KUSAKA Y *et al*
YUHUA H *see* ZHICHENG S *et al*

Z

ZEDDE A *see* PERBELLINI L *et al*
Zeolite, fibrous, exposure to, phenotypic characterisation of peripheral blood lymphoid cells, 830
ZHICHENG S: Acute nickel carbonyl poisoning: a report of 179 cases, 422
——A study of lung function in coalworkers' pneumoconiosis: short report, 644
——LATA A, and YUHUA H: A study of serum monamine oxidase (MAO) activity and the EEG in nickel carbonyl workers, 425
——and PANGCHENG L: Occupational mycoses, 500
——ZHIMING Y, LATA A, and YUHUA H: Serum angiotensin converting enzyme, ceruloplasmin, and lactic dehydrogenase in anthracosilicosis and anthracosilicotuberculosis: short report, 642
ZHIMING Y *see* ZHICHENG S *et al*
Zinc, exposure to, determination of distribution of conduction velocities, 321
ZUTSHI M L *see* MATTOO G M *et al*